



Unique portrait-style gas fireplace offers distinctive and cozy charm that can be easily installed in unique spaces within the home and customized to reflect your personal style.



DAVE LENNOX

SIGNATURE

COLLECTION



Adagio™ shown with Cobblestone ceramic liner, black arch façade and gold Napa™ insets.

Installing the Adagio™ direct-vent gas fireplace from the Dave Lennox *Signature*™ Collection is akin to adding a piece of art to your home. The distinctive vertical orientation and small size make it an ideal fit for smaller or unconventional spaces—like your kitchen, bathroom or dining room. The tall glass area provides a beautiful view of flames dancing on high-definition logs and glowing embers. Plus, with a variety of gorgeous façades and one-piece ceramic liners that capture a real masonry look, the Adagio can be customized to complement your home's unique style and décor.

CUSTOMIZE TO YOUR TASTE

With the Adagio[™] direct-vent gas fireplace, you have plenty of options to create the perfect look for your home. Start with your choice of ceramic liners and façade designs, then choose from a variety of optional accessories. Before you know it, you'll be relaxing in front of your dream fireplace!

STEP 1: LINERS

Choose from four exceptional ceramic liners for complete home décor integration.









Cobblestone

Red Rustic

Red Herringbone

Stucco

STEP 2: FAÇADES

Choose from four façade styles to create a truly unique fireplace that perfectly fits your home.









Iron garden gate

Copper garden gate

Black arch (insets required)

Brushed nickel arch (insets required)

STEP 3: ARCH FAÇADE INSETS

Choose from three Arch façade inset designs available in black, brushed nickel, gold or black nickel.



Aspen™



Napa¹



Tuscan^{**}

AVAILABLE FINISHES





nickel



nickel



Black

STANDARD FEATURES

Large, 16" x 22" glass area offers uncompromised views of the fire presentation

High-definition logs provide authentic detail for the ultimate in realism

Ceramic glass radiates warmth back into the room for superior heating

Burner design produces glowing logs and enchanting embers for realism and beauty

AFUE-heater-rated unit burns efficiently for optimal fuel usage

OPTIONAL ACCESSORIES

Remote control

Wall thermostat



STEP 4: BLOWER (optional-millivolt only)

Install an optional blower by simply sliding it into place under the firebox.




STEP 5: BARRIER SCREEN KIT (optional)

Create a barrier to prevent direct contact with hot glass. Affixes directly to the front of the fireplace.




DIMENSIONS






PRODUCTS AND DEALERS YOU CAN COUNT ON

Lennox is committed to providing you with the finest hearth products available. Choosing the right dealer for your hearth needs is as important as choosing the right brand, and our dealers are a big reason why you can count on quality customer service when you call.





GAS FIREPLAC	E EFFICIENCIES		
	ВТИ	STEADY-STATE	CANADIAN ENERGUIDE RATING
NATURAL GAS	10,000-13,000	71.82%	58.3%
PROPANE	10,000-13,000	73.27%	59.4%





Based on CSA P.4.1-02

As with any heating appliance, fireplace or stove, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.





