Linear P and PL





Redefine Your Home Experience

Enjoy the expanded sense of space and the comfort of a unique modern fireplace. Montigo fireplaces offer the ultimate in fire and relaxation.

Versatility

Choose between top or rear convertible venting. A power vent option allows the fireplace to be placed anywhere in the home up to 100 ft. from an exterior wall.

Burner Technology

A flame viewing experience unlike any other. With a concealed ribbon burner, the burner is covered with glass media. Switch to optional Designer Speckled Stones or add the optional Driftwood Log Set to complement any media choice.

Our Guarantee

Rest assured our uncompromising quality and long-term reliability is backed by our limited 10-year warranty.





PL Series


Montigo's PL Series fireplaces allow you the choice of adding the Porcelain Panels, full function remote control with flame modulation, or Multi-speed fans to customize a fireplace that is perfect for your space.



P Series

A reflection of Montigo's dedication to luxury. The P Series comes fully loaded with a Porcelain firebox liner, burner uplighting, Multi-speed fans, and a full function remote control with flame modulation as a standard.





Montigo's Linear P and PL Series fireplaces provide radiant heat to add comfort to any space. Cozy up to a Montigo fire and enjoy the warming glow.

The fan kit distributes heat further into your space. Share the comfort using multi-fan speed control on your standard remote. The fan kit comes standard on all P-Series models and is an available option for all PL-Series models.



Burner Media Accessories - Firestones



White, Silver, Opaque DGB01 (Order Code: HW1082)



Opal DGB04 (Order Code: HW1106)



Sapphire DGB08 (Order Code: HW1108)



Frost DGB10 (Order Code: HW1112)



Ebony DGB03 (Order Code: HW1091)



Ivory DGB09 (Order Code: HW1111)



Diamond Glazier (Order Code: HW1219B)



Melon DGB07 (Order Code: HW1109)

Burner Media Accessories - Fireglass



Black Ice DGM21 (Order Code: HW1113)



Platinum Ice DGM24 (Order Code: HW1144)



Copper Ice DGM23 (Order Code: HW1143)



Star Ice DGM25 (Order Code: HW1157)

Burner Media Accessories - Stones & Logs



Speckled Stones (Order Codes: RR250SS, RR300SS, RR350SS)



Driftwood Log Set (Order Code: LGSPseries)

PL-Series Standard Features:

- Clean face design allows for brick or tile installation over the fireplace frame
- Convertible to Top or Rear vent
- Concealed Ribbon burner with multiple media options
- Snap-lock door for access to firebox
- Flush Screen Barrier
- · All units include screens that meet safety standards

P-Series Standard Features:

- Clean face design allows for brick or tile installation over the fireplace frame
- · Convertible to Top or Rear vent
- Concealed Ribbon burner with multiple media options
- Black Porcelain Firebox Liner
- · Accent up-lighting
- Multi-speed Fans
- Snap-lock door for access to firebox
- Full function remote control for flame modulation, thermostatic control, light on/off control, and fan speed control
- Flush Screen Barrier
- Battery backup for continuous operation during power failure
- All units include screens that meet safety standards

PL-Series Options:

- · Designer speckled stones, firestones, or fireglass
- Driftwood log set to accent any media option
- Fans equipped with speed control
- Black Porcelain Firebox Liner
- Power Vent Capable
- Fireplace Surround* in satin black or stainless steel
- Full function remote control for flame modulation

P-Series Options:

- Designer speckled stones, firestones, or fireglass
- Driftwood log set available to accent any media option
- Power Vent Capable
- Fireplace Surround* in satin black or stainless steel

PRODUCT SPECIFICATIONS

| Model# | P38DF PL38DF | P42DF PL42DF | P52DF PL52DF | | | | |
|----------------------------------|--|----------------------|-----------------|--|--|--|--|
| Input Rating (NG) | 25,000 | 32,000 | 40,000 | | | | |
| Input Rating (LP) | 25,000 | 32,000 | 40,000 | | | | |
| Gas Supply Pressure (NG) | | 5.5"WC | | | | | |
| Gas Supply Pressure (LP) | | 11"WC | | | | | |
| Manifold Pressure (NG) | | 3.5"WC | | | | | |
| Manifold Pressure (LP) | | 10"WC | | | | | |
| Fireplace Electrical Requirement | | 115VAC, 60Hz, 5 Amps | | | | | |
| Vent Size (NG) | 5"/8" | 5"/8" | 5"/10" or 5"/8" | | | | |
| Vent Size (LP) | 5"/8" | 5"/8" | 5"/10" or 5"/8" | | | | |
| 5"/8" Maximum Vent Height | | 32' | | | | | |
| Certification(s) | ANSI Z21.88-2014 / CSA 2.33-2014 Vented Gas Fireplace Heaters CGA2.17-M91 Gas-fired Appliances for Use at High Altitudes | | | | | | |



Standard full function remote control allows for convenient operation.



Optional fan kits distribute heat where you need it most.





(PPL38, PPL42, PPL52)

The Porcelain Panel Firebox Liner adds an additional glow to the backdrop of your fire.





Montigo's linear P and PL fireplaces offer a premium flame no matter which fuel you use.









^{*} Fireplace must be raised to accommodate four sided surround

PL-Series Fireplace Components

| | Order Code | Description |
|--------------------------|--------------------|---|
| | PL38DFNI | Direct Vent model equipped with Proflame 2 IPI NG |
| | PL38DFLI | Direct Vent model equipped with Proflame 2 IPI Propane (LP) |
| Models | PL42DFNI | Direct Vent model equipped with Proflame 2 IPI NG |
| wiodels | PL42DFLI | Direct Vent model equipped with Proflame 2 IPI Propane (LP) |
| | PL52DFNI | Direct Vent model equipped with Proflame 2 IPI NG |
| | PL52DFLI | Direct Vent model equipped with Proflame 2 IPI Propane (LP) |
| Standard Media Type | HW1082 | White, Silver, Opaque Firestones (9 lbs per installation) |
| | PPL38 | PL38DF Porcelain Panels |
| Optional Firebox Liner | PPL42 | PL42DF Porcelain Panels |
| | PPL52 | PL52DF Porcelain Panels |
| | RR250SS | PL38DF Designer Speckled Stones |
| | RR300SS | PL42DF Designer Speckled Stones |
| Optional Media Types | RR350SS | PL52DF Designer Speckled Stones |
| | LGSPseries | Driftwood Log Set |
| | N/A | See Media page for optional Fireglass and Firestone choices |
| | P38SFPSB | PL38DF Satin Black Decorative Surround |
| | P38SFPSS | PL38DF Stainless Steel Decorative Surround |
| Decorative Surrounds | P42SFPSB | PL42DF Satin Black Decorative Surround |
| Decorative Surrounds | P42SFPSS | PL42DF Stainless Steel Decorative Surround |
| | P52SFPSB | PL52DF Satin Black Decorative Surround |
| | P52SFPSS | PL52DF Stainless Steel Decorative Surround |
| Ontional Ean Kit | HFK50R | Variable speed fan kit (Requires RX200**) |
| Optional Fan Kit — | HFK50 | Variable speed fan kit |
| Optional Remote Control | RX200NG RX200LP | Optional Remote Control |
| Emergency Battery Backup | AF40BP | Emergency Battery Backup |


P-Series Fireplace Components

| | Order Code | Description |
|----------------------|------------|---|
| | PL38DFNI-2 | Direct Vent model equipped with Proflame 2 IPI NG |
| | PL38DFLI-2 | Direct Vent model equipped with Proflame 2 IPI Propane (LP) |
| | PL42DFNI-2 | Direct Vent model equipped with Proflame 2 IPI NG |
| Models | PL42DFLI-2 | Direct Vent model equipped with Proflame 2 IPI Propane (LP) |
| | PL52DFNI-2 | Direct Vent model equipped with Proflame 2 IPI NG |
| | PL52DFLI-2 | Direct Vent model equipped with Proflame 2 IPI Propane (LP) |
| Standard Media Type | HW1106 | Opal Firestones (9 lbs per installation) |
| | RR250SS | PL38DF Designer Speckled Stones |
| | RR300SS | PL42DF Designer Speckled Stones |
| Optional Media Types | RR350SS | PL52DF Designer Speckled Stones |
| | LGSPseries | Driftwood Log Set |
| | N/A | See Media page for optional Fireglass and Firestone choices |
| | P38SFPSB | PL38DF Satin Black Decorative Surround |
| | P38SFPSS | PL38DF Stainless Steel Decorative Surround |
| | P42SFPSB | PL42DF Satin Black Decorative Surround |
| Decorative Surrounds | P42SFPSS | PL42DF Stainless Steel Decorative Surround |
| | P52SFPSB | PL52DF Satin Black Decorative Surround |
| | P52SFPSS | PL52DF Stainless Steel Decorative Surround |


Dimensions


| | UNIT DIMENSIONS | | | | | | | | | | | | | | | | | | | |
|-----------------|-----------------|------|------|-------|-----|-----|------|------|-----|-----|------|------|------|------|--------|------|-------|--------|------|------|
| | Α | В | С | D | E | F | G | Н | - 1 | J | K | L | М | N | 0 | Р | Q | R | S | Т |
| PL38DF P38DF | 37¾" | 29½" | 35¼" | 19%" | 4%" | 5½" | 33¾" | 19½" | 5" | 8" | 26%" | 35½" | 11%" | 36%" | 221/8" | 39¼" | 2014" | 371/4" | 17½" | 33¼" |
| PL42DF P42DF | 42" | 30½" | 39½" | 2014" | 4¾" | 5½" | 34%" | 20%" | 5" | 8" | 27%" | 39¾" | 12%" | 37¾" | 23%" | 43%" | 21¼" | 41½" | 18%" | 37½" |
| PL52DF P52DF | 52" | 33¼" | 47" | 21¾" | 6" | 5%" | 36¼" | 22%" | 5" | 10" | 28¾" | 47%" | 14¾" | 39" | 25¼" | 53%" | 22¾" | 49¼" | 19%" | 45" |





Framing Dimensions





| FRAMING DIMENSIONS | | | | | | | | | | | | |
|--------------------|------|------|------|--------|------|------|--|--|--|--|--|--|
| Model# | U | V | W | X | Υ | Z | | | | | | |
| PL38DF P38DF | 53%" | 37¾" | 78¼" | 201⁄8" | 41¼" | 34¼" | | | | | | |
| PL42DF P42DF | 58½" | 42" | 82%" | 21%" | 42" | 35" | | | | | | |
| PL52DF P52DF | 64%" | 52" | 91%" | 24½" | 43" | 37½" | | | | | | |

^{*}Framing Dimensions shown for models without surround

Linear P and PL



Consult the owner's manual for complete installation instructions, product dimensions and proper clearances to combustible surfaces prior to installing fireplace.

All specifications, framing dimensions, product designs, materials and colors are subject to change without notice. The actual flame pattern and color may vary slightly from the illustrations. Diagrams and illustrations are not to scale.

Options & accessories may have associated surcharge.

Available at:

WERTZ & COMPANY

SINCE 1926

ROOFING, INDOOR & OUTDOOR SPECIALISTS









P/N XB2209 170502